Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 8/12/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product name : Primary Chain & Transmission Oil

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Lubricant

Restrictions on use : No additional information available

1.3. Supplier

ZXP Technologies 409 E Wallisville Rd Highlands, TX 77562 T 281-426-8800 www.zxptech.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 Toll-Free USA/CAN

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin sensitisation, Category H317 May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) : P261 - Avoid breathing mist, spray, vapours

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective gloves, protective clothing P302+P352 - If on skin: Wash with plenty of water/...

P321 - Specific treatment (see First aid measures on this label)

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

0.68% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

1.18% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

1.18% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

8/12/2024 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | GHS-US classification |
|--|------------------------|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) | (CAS-No.) 64742-54-7 | 0 - 96 | Asp. Tox. 1, H304 |
| Phosphoric acid esters, amine salt | (CAS-No.) trade secret | 0 - 0.5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| C12-C14 t-alkyl amines | (CAS-No.) 68955-53-3 | 0.1 - 0.5 | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Long chain alkenyl amide borate | (CAS-No.) trade secret | 0 - 0.25 | Skin Sens. 1B, H317 |

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes.

Reactivity : No dangerous reactions known.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist. Ensure adequate

ventilation. Use personal protective equipment as required.

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

8/12/2024 EN (English) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid all eye and skin contact and do not breathe vapour and mist. Use personal

protective equipment as required.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place.

Incompatible products : Strong bases. Strong acids. Strong oxidizers.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| C12-C14 t-alkyl amines (68955-53-3) | | | |
|---|------------------------|----------|--|
| Not applicable | | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) | | | |
| ACGIH | ACGIH TWA (mg/m³) | 5 mg/m³ | |
| ACGIH | ACGIH STEL (mg/m³) | 10 mg/m³ | |
| OSHA | OSHA PEL (TWA) (mg/m³) | 5 mg/m³ | |
| Phosphoric acid esters, amine salt (trade secret) | | | |
| Not applicable | | | |
| Long chain alkenyl amide borate (trade secret) | | | |
| Not applicable | | | |

8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid splashing. Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.

Environmental exposure controls : Prevent leakage or spillage.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves. neoprene gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved organic vapour respirator

8/12/2024 EN (English) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : amber
Odour : petroleum

Odour threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : >= 200 °C

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure : No data available Relative vapour density at 20 °C Relative density : No data available Solubility No data available Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : 106 cSt @ 40 °C Viscosity, kinematic Viscosity, dynamic No data available : No data available Explosive limits Explosive properties : No data available : No data available Oxidising properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Hydrocarbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| C12-C14 t-alkyl amines (68955-53-3) | |
|-------------------------------------|-----------|
| LD50 oral rat | 612 mg/kg |

8/12/2024 EN (English) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| C12-C14 t-alkyl amines (68955-53-3) | | |
|---|----------------------|--|
| LD50 dermal rat | 251 mg/kg | |
| LC50 inhalation rat (ppm) | 157 ppm/4h | |
| ATE US (oral) | 612 mg/kg bodyweight | |
| ATE US (dermal) | 251 mg/kg bodyweight | |
| ATE US (gases) | 157 ppmv/4h | |
| ATE US (vapours) | 0.5 mg/l/4h | |
| ATE US (dust,mist) | 0.05 mg/l/4h | |
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) | | |
| LD50 oral rat | > 5000 mg/kg | |
| LD50 dermal rabbit | > 2000 mg/kg | |
| LC50 inhalation rat (mg/l) | > 5.53 mg/l/4h | |
| Phosphoric acid esters, amine salt (trade secret) | | |
| ATE US (oral) | 500 mg/kg bodyweight | |

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Likely routes of exposure : Inhalation. Skin and eye contact.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

| C12-C14 t-alkyl amines (68955-53-3) | | |
|---|---------------------|--|
| LC50 fish 1 | 1.3 mg/l | |
| EC50 Daphnia 1 | 2.5 mg/l Calculated | |
| ErC50 (algae) | 0.44 mg/l | |
| NOEC (chronic) | 0.078 mg/l | |
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) | | |
| EC50 Daphnia 1 | > 10000 mg/l | |

Long chain aikenyi amide borate (trade secret

LC50 fish 1 > 1000 mg/l 96 h

12.2. Persistence and degradability

| Hi_Performance 80W Gear Oil | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Primary Chain & Transmission Oil | | |
|-------------------------------------|--------------------------------|--|
| Bioaccumulative potential | Not established. | |
| C12-C14 t-alkyl amines (68955-53-3) | | |
| Bioaccumulative potential | Not expected to bioaccumulate. | |

8/12/2024 EN (English) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated.

Transport by sea

Not regulated.

Air transport

Not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

C12-C14 t-alkyl amines (68955-53-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Long chain alkenyl amide borate (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

C12-C14 t-alkyl amines (68955-53-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

C12-C14 t-alkyl amines (68955-53-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on Taiwan National Chemical Inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

8/12/2024 EN (English) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on Taiwan National Chemical Inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the AICS (Australian Inventory of Chemical Substances)

Not listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECI (Korean Existing Chemicals Inventory)

Long chain alkenyl amide borate (trade secret)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on Taiwan National Chemical Inventory

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists).

European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database

Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing",

Fifth Edition.

OSHA 29CFR 1910.1200 Hazard Communication Standard.

National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th

edition.

TSCA Chemical Substance Inventory. Accessed at

http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html.

Other information : None.

Full text of H-statements:

| H226 | Flammable liquid and vapour |
|------|--|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H330 | Fatal if inhaled |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |

Abbreviations and acronyms:

8/12/2024 EN (English) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ATE: Acute Toxicity Estimate |
|---|
| CAS (Chemical Abstracts Service) number |
| EC50: Environmental Concentration associated with a response by 50% of the test population. |
| GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). |
| LD50: Lethal Dose for 50% of the test population |
| OSHA: Occupational Safety & Health Administration |
| STEL: Short Term Exposure Limits |
| TSCA: Toxic Substances Control Act |
| TWA: Time Weighted Average |

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 1 - Materials that must be preheated before ignition can

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

8/12/2024 EN (English) 8/8